

Publicaciones

Servicio de Reumatología

Hospital General Universitario Gregorio Marañón

1- ARTÍCULOS CIENTÍFICOS

1.1- Incluidos en Index Medicus (Medline)

1. López-Mejías R, Corrales A, Vicente E², Robustillo-Villarino M³, González-Juanatey C⁴, Llorca J⁵, Genre F¹, Remuzgo-Martínez S¹, Dierssen-Sotos T⁵, Miranda-Fillooy JA⁶, Huaranga MA⁷, Pina T¹, Blanco R¹, Alegre-Sancho JJ³, Raya E⁸, Mijares V¹, Ubilla B¹, Ferraz-Amaro I⁹, Gómez-Vaquero C¹⁰, Balsa A¹¹, **López-Longo FJ**¹², Carreira P¹³, González-Álvaro I², Ocejo-Vinyals JG¹⁴, Rodríguez-Rodríguez L¹⁵, Fernández-Gutiérrez B¹⁵, Castañeda S², Martín J¹⁶, González-Gay MA¹ Influence of coronary artery disease and subclinical atherosclerosis related polymorphisms on the risk of atherosclerosis in rheumatoid arthritis. Sci Rep. 2017 Jan 6;7:40303. doi: 10.1038/srep40303.
2. García-Montoya L¹, Sáenz-Tenorio CN², Janta I², Menárguez J², López-Longo FJ², Monteagudo I², Naredo E². Hemophagocytic lymphohistiocytosis in a patient with Sjögren's syndrome: case report and review. Rheumatol Int. 2016 Nov 16. [Epub ahead of print]
3. Riveros Frutos A^{1,2}, Casas I³, Rúa-Figueroa I⁴, **López-Longo FJ**⁵, Calvo-Alén J⁶, Galindo M⁷, Fernández-Nebro A⁸, Pego-Reigosa JM⁹, Olivé Marqués A¹⁰; RELESSER Group, part of the Spanish Society of Rheumatology Systemic Autoimmune Diseases Study Group (EASSER). Lupus. Systemic lupus erythematosus in Spanish males: a study of the Spanish Rheumatology Society Lupus Registry (RELESSER) cohort. 2016 Oct 31. pii: 0961203316673728. [Epub ahead of print]
4. Ruiz-Curiel A¹, Díaz-Barreda MD¹, González-Rodríguez M¹, Martín-Delgado T¹, Medrano-Antoñanzas A¹, Muñoz-González R¹, Perales-Torres S¹, Sánchez-Montero J¹, **Janta I**², **Nieto JC**³, Collado-Yurrita L⁴, **López-Longo FJ**³, Naredo E³. Musculoskeletal ultrasound: an effective tool to help medical students improve joint inflammation detection? Med Ultrason. 2016 Sep;18(3):294-8. doi: 10.11152/mu.2013.2066.183.ruz.
5. Nuño L¹, Joven B², Carreira P², Maldonado V³, Larena C³, Llorente I⁴, Tomero E⁴, Barbadillo MC⁵, García-de la Peña P⁶, Ruiz L⁷, López-Robledillo JC⁷, Moruno H⁸, Pérez A⁸, Cobo-Ibáñez T⁹, Almodóvar R¹⁰, Lojo L¹¹, **Monteagudo I**¹², García-De Yébenes MJ¹³, **López-Longo FJ**¹². Multicenter Registry on Inflammatory Myositis From the Rheumatology Society in Madrid, Spain: Descriptive Analysis. Reumatol Clin. 2016 Sep 5. pii: S1699-258X(16)30091-2. doi: 10.1016/j.reuma.2016.07.010. [Epub ahead of print]
6. Janta I, Valor L, De la Torre I, Martínez-Estupiñán L, Nieto JC, Ovalles-Bonilla JG, Martínez-Barrio J, Bello N, Hinojosa M, Montoro M, González CM, López-Longo J, Monteagudo I, Carreño L, Naredo E. Ultrasound-detected activity in rheumatoid arthritis on methotrexate therapy: Which joints and tendons should be assessed to predict unstable remission? Rheumatol Int 2016; 36: 387-96.
7. Janta I, Stanciu D, Hinojosa M, Nieto-González JC, Valor L, Bello N, Serrano B, Mata-Martínez C, Martínez-Barrio J, Ovalles-Bonilla JG, González CM, López-Longo FJ, Monteagudo I, Naredo E, Carreño L. Structural damage in rheumatoid arthritis: comparison between tendon damage evaluated by ultrasound and radiographic damage. Rheumatology (Oxford) 2016; pii: kew020. PMID: 26945055.
8. Galindo-Izquierdo M, Rodríguez-Almaraz E, Pego-Reigosa JM, **López-Longo FJ**, Calvo-Alén J, Olivé A, Fernández-Nebro A, Martínez-Taboada V, Vela-Casasempere P, Freire M, Narváez FJ, Rosas J, Ibáñez-Barceló M, Uriarte E, Tomero E, Zea A, Horcada L, Torrente V, Castellvi I, Calvet J, Menor-Almagro R, Zamorano MA, Raya E, Díez-Álvarez E, Vázquez-Rodríguez T, García de la Peña P, Movasat A, Andreu JL, Richi P, Marras C, Montilla-Morales C, Hernández-Cruz B, Marenco de la Fuente JL, Gantes M, Úcar E, Alegre-Sancho JJ, Manero J, Ibáñez-Ruán J, Rodríguez-Gómez M,

Quevedo V, Hernández-Beriaín J, Silva-Fernández L, Alonso F, Pérez S, Rúa-Figueroa I; RELESSER Group, from the Spanish Society of Rheumatology Systemic Autoimmune Diseases Study Group (EASSER). Characterization of Patients With Lupus Nephritis Included in a Large Cohort From the Spanish Society of Rheumatology Registry of Patients With Systemic Lupus Erythematosus (RELESSER). *Medicine (Baltimore)* 2016; 95: e2891. PMID: 26945378.

9. Valor L, Ovalles-Bonilla JG, Hernández-Flórez D, López-Longo FJ. Treatment with monoclonal antibodies and pregnancy in women with systemic inflammatory diseases: A special situation. *Reumatol Clin* 2016; pii: S1699-258X (16)00011-5. PMID: 26948713

10. Pego-Reigosa JM, Lois-Iglesias A, Rúa-Figueroa Í, Galindo M, Calvo-Alén J, de Uña-Álvarez J, Balboa-Barreiro V, Ibáñez Ruan J, Olivé A, Rodríguez-Gómez M, Fernández Nebro A, Andrés M, Erasquin C, Tomero E, Horcada Rubio L, Uriarte Isacelaya E, Freire M, Montilla C, Sánchez-Atrio AI, Santos-Soler G, Zea A, Díez E, Narváez J, Blanco-Alonso R, Silva-Fernández L, Ruiz-Lucea ME, Fernández-Castro M, Hernández-Beriaín JÁ, Gantes-Mora M, Hernández-Cruz B, Pérez-Venegas J, Pecondón-Español Á, Marras Fernández-Cid C, Ibáñez-Barcelo M, Bonilla G, Torrente-Segarra V, Castellví I, Alegre JJ, Calvet J, Marengo de la Fuente JL, Raya E, Vázquez-Rodríguez TR, Quevedo-Vila V, Muñoz-Fernández S, Otón T, Rahman A, López-Longo FJ. Relationship between damage clustering and mortality in systemic lupus erythematosus in early and late stages of the disease: cluster analyses in a large cohort from the Spanish Society of Rheumatology Lupus Registry. *Rheumatology (Oxford)* 2016; pii: kew049. PMID: 27018057

11. Ortea I, Roschitzki B, López-Rodríguez R, Tomero EG, Ovalles JG, **López-Longo J, de la Torre I**, González-Alvaro I, Gómez-Reino JJ, González A. Independent Candidate Serum Protein Biomarkers of Response to Adalimumab and to Infliximab in Rheumatoid Arthritis: An Exploratory Study. *PLoS One* 2016; 11: e0153140.

12. González-Fernández ML, Valor L, Morales-Lozano R, Hernández-Flórez D, López-Longo FJ, Martínez D, González CM, Monteagudo I, Martínez-Barrio J, Garrido J, Naredo E. To what extent is foot pain related to biomechanical changes and ultrasound-detected abnormalities in rheumatoid arthritis? *Clin Exp Rheumatol* 2016; PMID: 27050868

13. Valor L, Martínez-Estupiñán L, Janta I, Nieto JC, Ovalles-Bonilla JG, González-Fernández C, Del Rio T, Hernández-Flórez D, Monteagudo I, López-Longo FJ, Naredo E. Ultrasound-detected joint inflammation and B cell count: related variables for rituximab-treated RA patients? *Rheumatol Int* 2016; PMID: 27072348

14. Martínez López JA, García Vivar ML, Cáliz R, Freire M, Galindo M, Hernández MV, López Longo FJ, Martínez Taboada V, Pego Reigosa JM, Rubio E, Trujillo E, Vela-Casasempere P. Recommendations for the evaluation and management of patients with rheumatic autoimmune and inflammatory diseases during the reproductive age, pregnancy, postpartum and breastfeeding. *Reumatol Clin*. 2016 Jun 16. pii: S1699-258X(16)30047-X. doi: 10.1016/j.reuma.2016.05.003.

15. López-Isac E, Martín JE, Assassi S, Simeón CP, Carreira P, Ortego-Centeno N, Freire M, Beltrán E, Narváez J, Alegre-Sancho JJ; Spanish Scleroderma Group, Fernández-Gutiérrez B, Balsa A, Ortiz AM, González-Gay MA, Beretta L, Santaniello A, Bellocchi C, Lunardi C, Moroncini G, Gabrielli A, Witte T, Hunzelmann N, Distler JH, Riekemasten G, van der Helm-van Mil AH, de Vries-Bouwstra J, Magro-Checa C, Voskuyl AE, Vonk MC, Molberg Ø, Merriman T, Hesselstrand R, Nordin A, Padyukov L, Herrick A, Eyre S, Koeleman BP, Denton CP, Fonseca C, Radstake TR, Worthington J, Mayes MD, Martín J. Collaborators: Ríos R, Callejas JL, Hitos JA, Portales RG, Camps MT, Fernández-Nebro A, González-Escribano MF, García-Hernández FJ, Castillo MJ, Ángeles Aguirre M, Gómez-Gracia I, Rodríguez-Rodríguez L, Peña PG, Vicente E, Andreu JL, de Castro MF, López-Longo FJ, Martínez L, Fonollosa V, Guillén A, Castellví I, Espinosa G, Tolosa C, Pros A, Carballera MR, Narváez FJ, Rivas MR, Ortiz-Santamaría V, Madroñero AB, Díaz B, Trapiella L, Sousa A, Egurbide MV, Mateo PF, Sáez-Comet L, Díaz F, Hernández V, Beltrán E, Román-Ivorra JA, Grau E, Alegre-Sancho JJ, Blanco García FJ, Oreiro N. Brief Report: IRF4 Newly Identified as a Common Susceptibility Locus for Systemic Sclerosis and Rheumatoid Arthritis in a Cross-Disease Meta-Analysis of Genome-Wide Association Studies. *Arthritis Rheumatol* 2016; 68: 2338-44.

16. Andrés M, Sivera F, Pérez-Vicente S, Carmona L, Vela P; EMAR II study group. Collaborators:

Escudero C, Chozas N, Maries I, Fernandez A, Medina F, Ureña I, Irigoyen V, Lopez M, Espiño P, Manrique S, Collantes E, Font P, Ruiz D, Granados M, Pozuelo M, Moreno I, Pina J, Roselló R, Vázquez C, Beltrán J, Manero-Ruiz F, Pecondón A, Giménez E, Jimenez F, Marzo J, Medrano M, Babío J, Tinturé T, González S, Ordás C, García M, Espadaler L, Fernandez J, Fiter J, Naranjo A, Ojeda S, Tornero J, Piqueras J, Júdez E, López C, Medina J, Iglesias G, Alvarez M, Alegre J, Colazo M, Alonso J, Álvarez B, Montilla C, Gómez S, López R, Sánchez M, Castro S, Ordóñez S, Boquet D, Calvet J, de la Fuente D, Rios V, Nolla J, Martínez-Cristóbal A, Negueroles R, Muñoz M, García J, Gamero F, Del Rincón E, Pérez-Pampín E, Fernandez L, Miguélez R, Ortiz A, Vicente E, Pérez Esteban S, Tomero E, Casado A, Arias M, Cuende E, Bohorquez C, Rodríguez J, Aragón A, García J, Zubieta J, Gallego A, Martínez C, Mateo I, de Juanes A, Enríquez E, Monteagudo I, López-Longo F, Pagán E, Rubira M, Mesa P, Galvez J, Saiz E, Tornero C, Úcar E, Rodríguez C, González Álvarez B, Rivera N, Arasa F, Bustabad S, Delgado E, Maese J, Veroz R. Centre-related variability in hospital admissions of patients with spondyloarthritis. *Rheumatol Int* 2016; 36: 1301-8.

17. Morales-Lozano R, Martínez-Barrio J, González-Fernández ML, López-Longo FJ, Ovalles-Bonilla JG, Valor L, Janta I, Nieto JC, Hernández-Flórez D, González CM, Monteagudo I, Garrido J, Carreño L, Naredo E. The feet in systemic lupus erythematosus; are we underestimating their involvement and functional impact? *Clin Exp Rheumatol* 2016; 34: 609-17.

18. Damjanov N, Milic V, Nieto-González JC, Janta I, Martínez-Estupiñan L, Serrano B, Mata C, Montoro M, Stanciu D, Marinković-Erić J, López-Longo FJ, Carreño L, Naredo E. Multiobserver Reliability of Ultrasound Assessment of Salivary Glands in Patients with Established Primary Sjögren Syndrome. *J Rheumatol* 2016 Aug 15. pii: jrheum.151220

19. López-Mejías R, Genre F, Remuzgo-Martínez S, González-Juanatey C, Robustillo-Villarino M, Llorca J, Corrales A, Vicente E, Miranda-Fillooy JA, Magro C, Tejera-Segura B, Ramírez Huaranga MA, Pina T, Blanco R, Alegre-Sancho JJ, Raya E, Mijares V, Ubilla B, Mínguez Sánchez MD, Gómez-Vaquero C, Balsa A, Pascual-Salcedo D, **López-Longo FJ**, Carreira P, González-Álvaro I, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Ferraz-Amaro I, Castañeda S, Martín J, González-Gay MA. Influence of elevated-CRP level-related polymorphisms in non-rheumatic Caucasians on the risk of subclinical atherosclerosis and cardiovascular disease in rheumatoid arthritis. *Sci Rep* 2016; 6: 319.

20. Rúa-Figueroa I, de Castro MF, Andreu JL, Sanchez-Piedra C, Martínez-Taboada V, Olivé A, **López-Longo J**, Rosas J, Galindo M, Calvo-Alén J, Fernández-Nebro A, Alonso F, Rodríguez-Lozano B, García Vadillo JA, Menor R, Narváez FJ, Erausquin C, García-Aparicio Á, Tomero E, Manrique-Arija S, Horcada L, Uriarte E, Gil S, Blanco R, López-González R, Boteanu A, Freire M, Galisteo C, Rodríguez-Gómez M, Díez-Álvarez E, Pego-Reigosa JM; IISGS (Instituto de Investigación Sanitaria Galicia Sur); SJOGRENSER and RELESSER researchers and EAS-SER GROUP. Comorbidities in patients with Primary Sjögren's Syndrome and Systemic Lupus Erythematosus: A comparative registries-based study. *Arthritis Care Res (Hoboken)* 2017; 69: 38-45. doi: 10.1002/acr.23015.

21. García-Vicuña R, Zarco P, **González CM**, Vanaclocha F, Marín-Jiménez I, Cea-Calvo L. Two-year incidence of psoriasis, uveitis and inflammatory bowel disease in patients with spondyloarthritis: A study in the AQUILES cohort. *Reumatol Clin.* 2016;12:22-26.

22. Torrente-Segarra V, Salman-Monte TC, Rúa-Figueroa Í, Pérez-Vicente S, **López-Longo FJ**, Galindo-Izquierdo M, Calvo-Alén J, Olivé-Marqués A, Ibañez-Ruán J, Horcada L, Sánchez-Atrio A, Montilla C, Rodríguez-Gómez M, Díez-Álvarez E, Martínez-Taboada V, Andreu JL, Fernández-Berrizbeitia O, Hernández-Beriain JA, Gantes M, Hernández-Cruz B, Pecondón-Español Á, Marras C, Bonilla G, Pego-Reigosa JM; RELESSER Study Group of the Spanish Society of Rheumatology (SER) and the Study Group of Systemic Autoimmune Diseases of the SER (EAS-SER). Fibromyalgia prevalence and related factors in a large registry of patients with systemic lupus erythematosus. *Clin Exp Rheumatol* 2016; 34 (Suppl 96): 40-7.

23. Martínez-Barrio J, Ovalles-Bonilla JG, López-Longo FJ, González CM, Montoro M, Valor L, Martínez LP, Nieto JC, Hinojosa MC, Bello N, Monteagudo I, Naredo E, Carreño L. Juvenile, adult and late-onset systemic lupus erythematosus: A long-term follow-up study from a geographic and ethnically homogeneous population. *Clin Exp Rheumatol* 2015; 33: 33: 788-94.

24. Cavagna L, Nuño L, Scirè CA, Govoni M, Lopez-Longo FJ, Franceschini F, Neri R, Castañeda

S, Giraldo WA, Caporali R, Iannone F, Fusaro E, Paolazzi G, Pellerito R, Schwarting A, Saketkoo LA, Ortego-Centeno N, Quartuccio L, Bartoloni E, Specker C, Murcia TP, La Corte R, Furini F, Foschi V, Corral JB, Airò P, Cavazzana I, Martínez-Barrio J, Hinojosa M, Giannini M, Barsotti S, Menke J, Triantafyllias K, Vitetta R, Russo A, Bajocchi G, Bravi E, Barausse G, Bortolotti R, Selmi C, Parisi S, Montecucco C, González-Gay MA; AENEAS (American, European NEtwork of Antisynthetase Syndrome) collaborative group Clinical Spectrum Time Course in Anti Jo-1 Positive Antisynthetase Syndrome: Results From an International Retrospective Multicenter Study. *Medicine (Baltimore)* 2015; 94 (32): e1144. doi: 10.1097/MD.0000000000001144.

25. Alonso A, González CM, Ballina J, García Vivar ML, Gómez-Reino JJ, Marenco JL, Fernández-Nebro A, Ordás C, Cea-Calvo L, Arteaga MJ, Sanmartí R. Efficacy and safety of golimumab as add-on therapy to disease-modifying antirheumatic drugs in rheumatoid arthritis: results of the GO-MORE study in Spain. *Reumatol Clin.* 2015;11:144-50.

26. Almodóvar R, Gonzalez CM, Caloto T, Elías I, Oyagüez I, Tencer T. Budget Impact Analysis of Apremilast In Patients With Psoriatic Arthritis In Spain. *Value Health.* 2015 Nov;18(7):A646.

27. Gonzalez CM, Almodóvar R, Caloto T, Echave M, Elías I, Tencer T. Cost-Utility Analysis of Apremilast for The Treatment of Psoriatic Arthritis Patients In Spain. *Value Health.* 2015 Nov;18(7):A645.

28. Julià A, Pinto JA, Gratacós J, Queiró R, Ferrándiz C, Fonseca E, Montilla C, Torre-Alonso JC, Puig L, Pérez Venegas JJ, Fernández Nebro A, Fernández E, Muñoz-Fernández S, Daudén E, González C, Roig D, Sánchez Carazo JL, Zarco P, Erra A, López Estebaranz JL, Rodríguez J, Ramírez DM, de la Cueva P, Vanaclocha F, Herrera E, Castañeda S, Rubio E, Salvador G, Díaz-Torné C, Blanco R, Willis Domínguez A, Mosquera JA, Vela P, Tornero J, Sánchez-Fernández S, Corominas H, Ramírez J, López-Lasanta M, Tortosa R, Palau N, Alonso A, García-Montero AC, Gelpí JL, Codó L, Day K, Absher D, Myers RM, Cañete JD, Marsal S. A deletion at ADAMTS9-MAGI1 locus is associated with psoriatic arthritis risk. *Ann Rheum Dis.* 2015 Oct;74(10):1875-81.

29. Zarco P, González CM, Rodríguez de la Serna A, Peiró E, Mateo I, Linares L, Calvo J, Cea-Calvo L, Arteaga MJ, Vanaclocha F, Marín-Jiménez I, García-Vicuña R. Extra-articular disease in patients with spondyloarthritis. Baseline characteristics of the spondyloarthritis cohort of the AQUILES study. *Reumatol Clin.* 2015;11:83-9.

30. Martínez-Barrio J, Ovalles-Bonilla JG, López-Longo FJ, González CM, Montoro M, Valor L, Martínez LP, Nieto JC, Hinojosa MC, Bello N, Monteagudo I, Naredo E, Carreño L. Juvenile, adult and late-onset systemic lupus erythematosus: A long-term follow-up study from a geographic and ethnically homogeneous population. *Clin Exp Rheumatol* 2015; 33: 33: 788-94.

31. Cavagna L, Nuño L, Scirè CA, Govoni M, Lopez-Longo FJ, Franceschini F, Neri R, Castañeda S, Giraldo WA, Caporali R, Iannone F, Fusaro E, Paolazzi G, Pellerito R, Schwarting A, Saketkoo LA, Ortego-Centeno N, Quartuccio L, Bartoloni E, Specker C, Murcia TP, La Corte R, Furini F, Foschi V, Corral JB, Airò P, Cavazzana I, Martínez-Barrio J, Hinojosa M, Giannini M, Barsotti S, Menke J, Triantafyllias K, Vitetta R, Russo A, Bajocchi G, Bravi E, Barausse G, Bortolotti R, Selmi C, Parisi S, Montecucco C, González-Gay MA; AENEAS (American, European NEtwork of Antisynthetase Syndrome) collaborative group Clinical Spectrum Time Course in Anti Jo-1 Positive Antisynthetase Syndrome: Results From an International Retrospective Multicenter Study. *Medicine (Baltimore)* 2015; 94 (32): e1144. doi: 10.1097/MD.0000000000001144.

32. Hernández-Flórez D, Valor L, de la Torre I, Nieto JC, Martínez-Estupiñán L, González C, López-Longo FJ, Monteagudo I, Garrido J, Naredo E, Carreño L. Comparison of two ELISA versions for infliximab serum levels in patients diagnosed with ankylosing spondylitis. *Rheumatol Int* 2015; 35:1021-5.

33. Valor L, López-Longo FJ. [Modulating the survival and maturation system of B lymphocytes: Current and future new therapeutic strategies in systemic lupus erythematosus.] *Med Clin (Barc)* 2015; 145: 206-10.

34. Pego-Reigosa JM, Rúa-Figueroa Í, López-Longo FJ, Galindo-Izquierdo M, Calvo-Alén J, Olivé-Marqués A, Del Campo V, García-Yébenes MJ, Loza-Santamaría E, Blanco R, Melero-González R, Vela-Casasempere P, Otón-Sánchez T, Tomero-Muriel E, Uriarte-Isacelaya E, Fito-Manteca MC, Freire-González M, Narváez J, Fernández-Nebro A, Zea-Mendoza A, Carlos Rosas J; on behalf of the RELESSER Group, from the Spanish Society of Rheumatology Systemic Autoimmune Diseases Study Group (EASSER). Analysis of disease activity and response to treatment in a large Spanish cohort of patients with systemic lupus erythematosus. *Lupus* 2015; 24: 720-9.
35. Rúa-Figueroa Í, Richi P, López-Longo FJ, Galindo M, Calvo-Alén J, Olivé-Marqués A, Loza-Santamaría E, Vicente SP, Erausquin C, Tomero E, Horcada L, Uriarte E, Sánchez-Atrio A, Rosas J, Montilla C, Fernández-Nebro A, Rodríguez-Gómez M, Vela P, Blanco R, Freire M, Silva L, Díez-Álvarez E, Ibáñez-Barceló M, Zea A, Narváez J, Martínez-Taboada V, Marengo JL, de Castro MF, Fernández-Berrizbeitia O, Hernández-Beriaín JÁ, Gantes M, Hernández-Cruz B, Pérez-Venegas JJ, Pecondón Á, Marras C, Carreira P, Bonilla G, Torrente V, Castellví I, Alegre J, Moreno M, Raya E, de la Peña PG, Vázquez T, Aguirre Á, Quevedo V, Pego-Reigosa JM; EAS-SER (Systemic Diseases Study Group of the Spanish Society of Rheumatology). Comprehensive description of clinical characteristics of a large systemic lupus erythematosus cohort from the Spanish Rheumatology Society Lupus Registry (RELESSER) with emphasis on complete versus incomplete lupus differences. *Medicine (Baltimore)* 2015; 94: e267. doi: 10.1097/MD.0000000000000267.
36. Inês L, Silva C, Galindo M, López-Longo FJ, Terroso G, Romão VC, Rúa-Figueroa I, Santos MJ, Pego-Reigosa JM, Nero P, Cerqueira M, Duarte C, Miranda LC, Bernardes M, Gonçalves MJ, Mourinho-Rodriguez C, Araújo F, Raposo A, Barcelos A, Couto M, Abreu P, Otón-Sánchez T, Macieira C, Ramos F, Branco JC, Silva JA, Canhão H, Calvo-Alén J; for the Rheumatic Diseases Registry of the Portuguese Society of Rheumatology (Reuma.pt) and for the Registry of SLE Patients of the Spanish Society of Rheumatology (RELESSER). Classification of Systemic lupus erythematosus: Systemic Lupus International Collaborating Clinics versus American College of Rheumatology criteria. *Arthritis Care Res (Hoboken)* 2015; 67: 1180-5.
37. Martínez-Estupiñán L, López-Longo FJ, Monteagudo I, Carreño Pérez L. [Pseudotumoral neurobehçet in a patient treated with anti-tumor necrosis factor alpha]. *Med Clin (Barc)* 2015; 144: 235-6.
38. Janta I, Martínez-Estupiñán L, Valor L, Montoro M, Baniandres Rodriguez O, Hernández Aragüés I, Bello N, Hernández-Flórez D, Hinojosa M, Martínez-Barrio J, Nieto-González JC, Ovalles-Bonilla JG, González CM, López-Longo FJ, Monteagudo I, Naredo E, Carreño L. Comparison between full and tapered dosages of biologic therapies in psoriatic arthritis patients: clinical and ultrasound assessment. *Clin Rheumatol* 2015; 34: 935-42.
39. Montoro M, Yew Chong O, Janta I, Gonzalez C, Lopez- Longo FJ, Monteagudo I, Valor L, Garrido J, Ing Soo L, Azmillah R, Naredo E, Carreño L. Relation of Doppler ultrasound synovitis versus clinical synovitis with changes in native complement component levels in rheumatoid arthritis patients treated with biologic disease-modifying antirheumatic drugs. *Clin Exp Rheumatol* 2015; 33: 141-5.
40. Naredo E, Valor L, De la Torre I, Montoro M, Bello N, Martínez-Barrio J, Martínez-Estupiñán L, Nieto JC, Ovalles-Bonilla JG, Hernández-Flórez D, González CM, López-Longo FJ, Monteagudo I, Carreño L. Predictive value of Doppler ultrasound-detected synovitis in relation to failed tapering of biologic therapy in patients with rheumatoid arthritis. *Rheumatology (Oxford)* 2015; 54: 1408-14.
41. García-Bermúdez M, López-Mejías R, Genre F, Castañeda S, Corrales A, Llorca J, González-Juanatey C, Ubilla B, Miranda-Fillooy JA, Pina T, Gómez-Vaquero C, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Balsa A, Pascual-Salcedo D, López-Longo FJ, Carreira P, Blanco R, Martín J, González-Gay MA. Lack of association between JAK3 gene polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. *Biomed Res Int* 2015; 318364. doi: 10.1155/2015/318364.
42. Carmona FD, Mackie SL, Martín JE, Taylor JC, Vaglio A, Eyre S, Bossini-Castillo L, Castañeda S, Cid MC, Hernández-Rodríguez J, Prieto-González S, Solans R, Ramentol-Sintas M, González-Escribano MF, Ortiz-Fernández L, Morado IC, Narváez J, Miranda-Fillooy JA; Spanish GCA Group, Beretta L, Lunardi C, Cimmino MA, Gianfreda D, Santilli D, Ramirez GA, Soriano A, Muratore F, Pazzola G, Addimanda O, Wijmenga C, Witte T, Schirmer JH, Moosig F, Schönauf V, Franke A, Palm Ø, Molberg Ø, Diamantopoulos AP, Carette S, Cuthbertson D, Forbess LJ, Hoffman GS, Khalidi NA, Koenig CL,

Langford CA, McAlear CA, Moreland L, Monach PA, Pagnoux C, Seo P, Spiera R, Sreih AG, Warrington KJ, Ytterberg SR, Gregersen PK, Pease CT, Gough A, Green M, Hordon L, Jarrett S, Watts R, Levy S, Patel Y, Kamath S, Dasgupta B, Worthington J, Koeleman BP, de Bakker PI, Barrett JH, Salvarani C, Merkel PA, González-Gay MA, Morgan AW, Martín J. A large-scale genetic analysis reveals a strong contribution of the HLA class II region to giant cell arteritis susceptibility. *Am J Hum Genet* 2015; 96: 565-80.

43. Castañeda S, Martín-Martínez MA, González-Juanatey C, Llorca J, García-Yébenes MJ, Pérez-Vicente S, Sánchez-Costa JT, Díaz-Gonzalez F, González-Gay MA; CARMA Project Collaborative Group. Cardiovascular morbidity and associated risk factors in Spanish patients with chronic inflammatory rheumatic diseases attending rheumatology clinics: Baseline data of the CARMA Project. *Semin Arthritis Rheum* 2015; 44: 618-26.

44. Mir Viladrich I, Daudén Tello E, Solano-López G, López Longo FJ, Taxonera Samsó C, Sánchez Martínez P, Martínez Lacasa X, García Gasalla M, Dorca Sargatal J, Arias-Guillén M, García García JM. Consensus Document on Prevention and Treatment of Tuberculosis in Patients for Biological Treatment. *Arch Bronconeumol* 2016; 52: 36-45.

45. Fernández-Nebro A, Rúa-Figueroa Í, López-Longo FJ, Galindo-Izquierdo M, Calvo-Alén J, Olivé-Marqués A, Ordóñez-Cañizares C, Martín-Martínez MA, Blanco R, Melero-González R, Ibáñez-Rúan J, Bernal-Vidal JA, Tomero-Muriel E, Uriarte-Isacelaya E, Horcada-Rubio L, Freire-González M, Narváez J, Boteanu AL, Santos-Soler G, Andreu JL, Pego-Reigosa JM. Cardiovascular Events in Systemic Lupus Erythematosus: A Nationwide Study in Spain From the RELESSER Registry. *Medicine (Baltimore)* 2015; 94: e1183.

46. Urruticoechea-Arana A, Martín-Martínez MA, Castañeda S, Piedra CA, González-Juanatey C, Llorca J, Díaz-Gonzalez F, González-Gay MA; CARMA Project Collaborative Group. Vitamin D deficiency in chronic inflammatory rheumatic diseases: results of the cardiovascular in rheumatology [CARMA] study. *Arthritis Res Ther* 2015; 17: 211.

47. Butta NV, Fernández-Bello I, López-Longo FJ, Jiménez-Yuste V. Endothelial Dysfunction and Altered Coagulation As Mediators of Thromboembolism in Behçet Disease. *Semin Thromb Hemost* 2015; 41: 621-8.

48. Ochoa E, Martin JE, Assasi S, Beretta L, Carreira P, Guillén A, Simeón CP, Koumakis E, Dieude P, Allanore Y, García-Hernández FJ, Espinosa G, Castellví I, Trapiella JL, Rodríguez L, González-Gay MÁ, Egurbide MV, Sáez L, Callejas-Rubio JL, Vargas-Hitos JA, Hunzelmann N, Riemekasten G, Witte T, Distler JH, Kreuter A, Lunardi C, Santaniello A, Tan FK, Shiels PG, Herrick A, Worthington J, Vonk MC, Koeleman BP, Radstake TR, Mayes MD, Martin J; Spanish Scleroderma Group. Confirmation of CCR6 as a risk factor for anti-topoisomerase I antibodies in systemic sclerosis. *Clin Exp Rheumatol* 2015; 33 (Suppl 91): S31-5.

49. Valor L, Hernández-Flórez D, de la Torre I, Del Río T, Nieto JC, González C, López-Longo FJ, Monteagudo I, Llinares F, Rosas J, Garrido J, Naredo E, Carreño L. Investigating the link between disease activity and infliximab serum levels in rheumatoid arthritis patients. *Clin Exp Rheumatol* 2015; 33: 805-11.

50. López-Isac E, Campillo-Davo D, Bossini-Castillo L, Guerra SG, Assassi S, Simeón CP, Carreira P, Ortego-Centeno N, García de la Peña P; Spanish Scleroderma Group, Beretta L, Santaniello A, Bellocchi C, Lunardi C, Moroncini G, Gabrielli A, Riemekasten G, Witte T, Hunzelmann N, Kreuter A, Distler JH, Voskuyl AE, de Vries-Bouwstra J, Herrick A, Worthington J, Denton CP, Fonseca C, Radstake TR, Mayes MD, Martín J. (Collaborators: Ríos R, Callejas JL, Hitos JA, Portales RG, Camps MT, Fernández-Nebro A, González-Escribano MF, García-Hernández FJ, Castillo MJ, Aguirre MÁ, Gómez-Gracia I, Fernández-Gutiérrez B, Rodríguez-Rodríguez L, Vicente E, Andreu JL, de Castro MF, **López-Longo FJ**, Martínez L, Fonollosa V, Guillén A, Castellví I, Espinosa G, Tolosa C, Pros A, Carballeira MR, Narváez FJ, Rivas MR, Santamaría VO, Madroñero AB, González-Gay MÁ, Díaz B, Trapiella L, Freire M, Sousa A, Egurbide MV, Mateo PF, Sáez-Comet L, Díaz F, Hernández V, Beltrán E, Román-Ivorra JA, Grau E, Sancho JJ, García FJ, Oreiro N). Influence of TYK2 in systemic sclerosis susceptibility: a new locus in the IL-12 pathway. *Ann Rheum Dis* 2015 Sep 2. pii: annrheumdis-2015-208154. doi: 10.1136/annrheumdis-2015-208154.

51. Ferraz-Amaro I, Seoane-Mato D, Sánchez-Alonso F, Martín-Martínez MA; emAR II Study Group. Synthetic disease-modifying antirheumatic drug prescribing variability in rheumatoid arthritis: a multilevel analysis of a cross-sectional national study. *Rheumatol Int* 2015; 35: 1825-36.
52. López-Isac E, Bossini-Castillo L, Simeon CP, Egurbide MV, Alegre-Sancho JJ, Callejas JL, Roman-Ivorra JA, Freire M, Beretta L, Santaniello A, Airó P, Lunardi C, Hunzelmann N, Riemekasten G, Witte T, Kreuter A, Distler JH, Schuerwegh AJ, Vonk MC, Voskuyl AE, Shiels PG, van Laar JM, Fonseca C, Denton C, Herrick A, Worthington J, Assassi S, Koeleman BP, Mayes MD, Radstake TR, Martin J; Spanish Scleroderma Group: Ortego-Centeno N, Ríos R, Navarrete N, García Portales R, Camps MT, Fernández-Nebro A, González-Escribano MF, Sánchez-Román J, García-Hernández FJ, Castillo MJ, Aguirre MÁ, Gómez-Gracia I, Carreira P, Fernández-Gutiérrez B, Rodríguez-Rodríguez L, Vicente E, Andreu JL, Fernández de Castro M, García de la Peña P, **López-Longo FJ**, Martínez L, Fonollosa V, Simeón CP, Espinosa G, Castellví I, Tolosa C, Pros A, Rodríguez Carballeira M, Narváez FJ, Rubio Rivas M, Ortiz Santamaría V, González-Gay MÁ, Díaz B, Trapiella L, Sousa A, Fanlo Mateo P, Sáez-Comet L, Díaz F, Hernández V, Beltrán E, Blanco García FJ, Oreiro N. A genome-wide association study follow-up suggests a possible role for PPARG in systemic sclerosis susceptibility. *Arthritis Res Ther*. 2014 Jan 9; 16 (1):R6. doi: 10.1186/ar4432. PMID: 24401602
53. López-Mejías R, Genre F, García-Bermúdez M, Ubilla B, Castañeda S, Llorca J, González-Juanatey C, Corrales A, Miranda-Filloy JA, Pina T, Gómez-Vaquero C, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Balsa A, Pascual-Salcedo D, **López-Longo FJ**, Carreira P, Blanco R, Martín J, González-Gay MA. Lack of association between ABO, PPAP2B, ADAMST7, PIK3CG, and EDNRA and carotid intima-media thickness, carotid plaques, and cardiovascular disease in patients with rheumatoid arthritis. *Mediators Inflamm* 2014; 2014: 756279.
54. Mayes MD, Bossini-Castillo L, Gorlova O, Martin JE, Zhou X, Chen WV, Assassi S, Ying J, Tan FK, Arnett FC, Reveille JD, Guerra S, Teruel M, Carmona FD, Gregersen PK, Lee AT, López-Isac E, Ochoa E, Carreira P, Simeón CP, Castellví I, González-Gay MÁ; Spanish Scleroderma Group: Ortego-Centeno N, Ríos R, Callejas JL, Navarrete N, García Portales R, Camps MT, Fernández-Nebro A, González-Escribano MF, Sánchez-Román J, García-Hernández FJ, Castillo MJ, Aguirre MÁ, Gómez-Gracia I, Fernández-Gutiérrez B, Rodríguez-Rodríguez L, Vicente E, Andreu JL, Fernández de Castro M, García de la Peña P, **López-Longo FJ**, Martínez L, Fonollosa V, Espinosa G, Tolosa C, Pros A, Rodríguez Carballeira M, Narváez FJ, Rubio Rivas M, Ortiz Santamaría V, Díaz B, Trapiella L, Freire Mdel C, Sousa A, Egurbide MV, Fanlo Mateo P, Sáez-Comet L, Díaz F, Hernández V, Beltrán E, Román-Ivorra JA, Grau E, Alegre Sancho JJ, Blanco García FJ, Oreiro N, Fernández Sueiro L, Zernakova A, Padyukov L, Alarcón-Riquelme M, Wijmenga C, Brown M, Beretta L, Riemekasten G, Witte T, Hunzelmann N, Kreuter A, Distler JH, Voskuyl AE, Schuerwegh AJ, Hesselstrand R, Nordin A, Airó P, Lunardi C, Shiels P, van Laar JM, Herrick A, Worthington J, Denton C, Wigley FM, Hummers LK, Varga J, Hinchcliff ME, Baron M, Hudson M, Pope JE, Furst DE, Khanna D, Phillips K, Schiopu E, Segal BM, Molitor JA, Silver RM, Steen VD, Simms RW, Lafyatis RA, Fessler BJ, Frech TM, Alkassab F, Docherty P, Kaminska E, Khalidi N, Jones HN, Markland J, Robinson D, Broen J, Radstake TR, Fonseca C, Koeleman BP, Martin J. Immunochip analysis identifies multiple susceptibility Loci for systemic sclerosis. *Am J Hum Genet* 2014; 94: 47-61.
55. Márquez A, Solans R, Hernández-Rodríguez J, Cid MC, Castañeda S, Ramentol M, Morado IC, Rodríguez-Rodríguez L, Narváez J, Gómez-Vaquero C, Miranda-Filloy JA, Martínez-Taboada VM, Ríos R, Sopena B, Monfort J, García-Villanueva MJ, Martínez-Zapico A, Marí-Alfonso B, Sánchez-Martín J, Unzurrunzaga A, Raya E, de Miguel E, Hidalgo-Conde A, Blanco R, González-Gay MÁ, Martín J; Spanish GCA Consortium: Mateo PF, Prieto-Gonzalez S, Cobera-Bellalta M, Fernandez-Gutierrez B, Grau E, Diaz Lopez JB, Fernandez-Nebro A, Ortego-Centeno N, Magro C, Tio L, Lopez-Longo FJ, Martinez L, Saez-Comet L, Perez-Conesa M. Analysis of two autoimmunity genes, IRAK1 and MECP2, in giant cell arteritis. *Clin Exp Rheumatol* 2014; 32 (2 Suppl 82): S30-3.
56. Cobo-Ibáñez T, Loza-Santamaría E, Pego-Reigosa JM, Marqués AO, Rúa-Figueroa I, Fernández-Nebro A, Cáliz RC, **López Longo FJ**, Muñoz-Fernández S. Efficacy and safety of rituximab in the treatment of non-renal systemic lupus erythematosus: A systematic review. *Semin Arthritis Rheum* 2014; 44: 175-85.

57. Fernández-Nebro A, Marengo J, López-Longo F, Galindo M, Hernández-Cruz B, Narváez J, Rúa-Figueroa I, Raya-Alvarez E, Zea A, Freire M, Sánchez-Atrio A, García-Vicuña R, Pego-Reigosa J, Manrique-Arija S, Nieves-Martín L, Carreño L; on behalf of LESIMAB GROUP. The effects of rituximab on the lipid profile of patients with active systemic lupus erythematosus: results from a nationwide cohort in Spain (LESIMAB). *Lupus* 2014; 23: 1014-22.
58. Naredo E, Hinojosa M, Valor L, Hernández-Flórez D, Mata-Martínez C, Serrano-Benavente B, Del Río T, Bello N, Montoro M, Nieto-González JC, González CM, López-Longo FJ, Monteagudo I, Carreño L. Does ultrasound-scored synovitis depend on the pharmacokinetics of subcutaneous anti-TNF agents in patients with rheumatoid arthritis? *Rheumatology (Oxford)* 2014; 53: 2088-94.
59. Isenberg D, Gordon C, Licu D, Copt S, Rossi CP, Wofsy D. Collaborators: Babini A, Lazaro M, Lucero E, Merono C, Rillo O, Spindler A, Tate G, Velasco Zamora B, Bossingham D, Littlejohn G, Nicholls D, Reeves G, Rischmueller M, Zamani O, Sato E, Scheinberg M, Zerbini C, Rashkov R, Glasnovic M, Martinovic-Kaliterna D, Morovic-Vergles J, Novak S, Tegzova D, Vavrincova P, Amoura Z, Carle P, Hachulla E, Jorgensen C, Sibilia J, Viallard J, Braun J, Hiepe F, Kuhn A, Lorenz H, Schmidt R, Schulze-Koops H, Wacker J, Settas L, Mouli Veeravalli S, Balbir-Gurman A, Langevitz P, Mevorach D, Molad Y, Bae S, Cho C, Kim H, Suh C, Andersone D, Ziade N, Baranauskaite A, Stropuviene S, Gun S, Kong N, Sulaiman W, Ramos Remus C, Saldate Alonso C, Huizinga T, Tak P, van Paassen P, Arroyo C, Gomez H, Perez E, Ramiterre E, Salido E, Brzosko M, Chudzik D, Dyczek A, Jeka S, Sierakowski S, Zdrojewski Z, Barbarash O, Ershova O, Gordienko A, Lomareva N, Shvarts Y, Sorotskaya V, Vezikova N, Yakushin S, Bogic M, Dimic A, Damjanov N, Petrovic R, Stojanovic L, Kalla A, Louw I, Nayiager S, Reuter H, Spargo C, Whitelaw D, Carbonell Abello J, Fernandez Nebro A, Gomez Reino J, Lopez Longo F, von Kempis J, Huang C, Lan J, Lin H, Liou L, Bruce I, Tahir H, Abrahamovych O, Dyadyk O, Nikirenkov Y, Rudyk Y, Smiyan S, Stanislavchuk M, Ter-Vartanyan S, Aranow C, Askanase A, Chakravarty E, Chatham W, Clark M, Dhar P, Dikranian A, Fiechtner J, Ginzler E, Harmon C, Knibbe W, Lee E, Lockshin M, Luggen M, Massarotti E, Mitri G, Peng S, Singer N. Efficacy and safety of atacicept for prevention of flares in patients with moderate-to-severe systemic lupus erythematosus (SLE): 52-week data (APRIL-SLE randomised trial). *Ann Rheum Dis* 2014; doi: 10.1136/annrheumdis-2013-205067.
60. García-Bermúdez M, López-Mejías R, Genre F, Castañeda S, Llorca J, González-Juanatey C, Corrales A, Ubilla B, Miranda-Fillooy JA, Pina T, Gómez-Vaquero C, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Balsa A, Pascual-Salcedo D, López-Longo FJ, Carreira P, Blanco R, Martín J, González-Gay MA. Interferon regulatory factor 5 genetic variants are associated with cardiovascular disease in patients with rheumatoid arthritis. *Arthritis Res Ther* 2014; 16: R146.
61. Genre F, López-Mejías R, García-Bermúdez M, Castañeda S, González-Juanatey C, Llorca J, Corrales A, Ubilla B, Miranda-Fillooy JA, Pina T, Gómez-Vaquero C, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Balsa A, Pascual-Salcedo D, López-Longo FJ, Carreira P, Blanco R, González-Álvaro I, Martín J, González-Gay MA. Osteoprotegerin CGA haplotype protection against cerebrovascular complications in anti-CCP negative patients with rheumatoid arthritis. *PLoS One* 2014; 9: e106823.
62. Ferreira-Iglesias A, Calaza M, Perez-Pampin E, Lopez Longo FJ, Marengo JL, Blanco FJ, Narvaez J, Navarro F, Cañete JD, de la Serna AR, Gonzalez-Alvaro I, Herrero-Baumont G, Pablos JL, Balsa A, Fernandez-Gutierrez B, Caliz R, Gomez-Reino JJ, Gonzalez A. Lack of replication of interactions between polymorphisms in rheumatoid arthritis susceptibility: case-control study. *Arthritis Res Ther* 2014; 16: 436.
63. Julià A, Rodríguez J, Fernández-Sueiro JL, Gratacós J, Queiró R, Montilla C, Torre-Alonso JC, Pérez-Venegas JJ, Manrique-Arija S, Muñoz-Fernández S, González C, Roig D, Zarco P, Erra A, Castañeda S, García A, Salvador G, Díaz-Torne C, Blanco R, Domínguez AW, Mosquera JA, Vela P, Tornero J, Sánchez-Fernández S, Corominas H, Ramírez J, Avila G, Alonso A, Tortosa R, López-Lasanta M, Cañete JD, Marsal S. PDE3A-SLCO1C1 locus is associated with response to anti-tumor necrosis factor therapy in psoriatic arthritis. *Pharmacogenomics*. 2014;15(14):1763-1769.
64. Juanola X, Fernández-Sueiro JL, Torre-Alonso JC, Miguélez R, Muñoz-Fernández S, Ballina J, González C, Julià B, Cea-Calvo L, Collantes E. Comparison of 2 referral strategies for the diagnosis of axial spondyloarthritis in Spain. The RADAR study. *Reumatol Clin*. 2013;9:348-52.

65. Juanola X, Fernández-Sueiro JL, Torre-Alonso JC, Miguélez R, Muñoz-Fernández S, Ballina J, **González C**, Juliá B, Cea-Calvo L, Collantes E. Comparison of 2 referral strategies for the diagnosis of axial spondyloarthritis in Spain. The RADAR study. *Reumatol Clin*. 2013;9:348-52. de la Torre I, Valor L, Nieto JC, Hernandez D, Martinez L, Gonzalez CM, Monteagudo I, López Longo JL, Montoro M, Carreño L. Anti-TNF treatments in rheumatoid arthritis: economic impact of dosage modification. *Expert Rev Pharmacoecon Outcomes Res* 2013; 13: 407-14.
66. Valor L, Monteagudo I, de la Torre I, Fernández CG, Montoro M, López Longo JL, Carreño L. Young male patient diagnosed with cutaneous polyarteritis nodosa successfully treated with etanercept. *Mod Rheumatol* 2013; doi: 10.1007/s10165-013-0831-1.
67. Fernández-Bello I, López-Longo FJ, Arias-Salgado EG, Jiménez-Yuste V, Butta NV. Behçet's disease: new insight into the relationship between procoagulant state, endothelial activation/damage and disease activity. *Orphanet J Rare Dis* 2013; 8: 81.
68. Nieto González JC, Monteagudo Saez I, López-Longo FJ, Serrano B, Mata Martínez C, Carreño Pérez L. Idiopathic recurrent pericarditis treated successfully with tumour necrosis factor alpha blocking agents (anti-TNF- α). *Clin Exp Rheumatol* 2013; 31: 776-8.
69. Martin JE, Assassi S, Diaz-Gallo LM, Broen JC, Simeon CP, Castellvi I, Vicente-Rabaneda E, Fonollosa V, Ortego-Centeno N, González-Gay MA, Espinosa G, Carreira P; Spanish Scleroderma Group; SLEGEN consortium; U.S. Scleroderma GWAS group: García Portales R, de Ramon E, Fernández-Nebro A, Román-Ivorra J, Beltran E, Castillo MJ, Sánchez-Román J, Vicente E, Díaz B, Trapiella L, Gallego M, Aguirre MA, Callejas-Rubio JL, Ríos R, Castellvi I, Egurbide MV, Espinosa G, Pros A, Navarrete N, Díaz-González F, Hernández V, Andréu JL, Fernández-Castro M, Sáez Comet L, López-Longo FJ, Martínez-Estupiñan L, Rodríguez-Carballeira M, Javier Narváez F, del Carmen Freire M, Vaqueiro I, Alarcón-Riquelme ME, Criswell LA, Harley JB, Jacob CO, Kimberly RP, Langefeld CD, Moser KL, Tsao BP, Vyse TJ, Ying J, Varga J, Hinchcliff M, Gregersen P, Lee AT, Wigley FM, Hummers L, Lawerys B, Houssiau F, Jacobsen S, Junker P, Laustrop H, Witte T, Moutsopoulos H, Kapsogeorgou EK, Endreffy E, Kovacs L, Steinsson K, Doria A, Meroni PL, Scorza R, D'Alfonso S, Bijl M, Kallenberg C, Vasconcelos C, Silva BM, Martín J, Martín JE, Suárez A, Rua Figueroa I, Pons-Estel G, Frostegård J, Pons-Estel B; BIOLUPUS, Camps M, Sabio JM, D'Alfonso S, Vonk MC, Voskuyl AE, Schuerwegh AJ, Kreuter A, Witte T, Riemekasten G, Hunzelmann N, Airo P, Beretta L, Scorza R, Lunardi C, Van Laar J, Chee MM, Worthington J, Herrick A, Denton C, Fonseca C, Tan FK, Arnett F, Zhou X, Reveille JD, Gorlova O, Koeleman BP, Radstake TR, Vyse T, Mayes MD, Alarcón-Riquelme ME, Martin J. A systemic sclerosis and systemic lupus erythematosus pan-meta-GWAS reveals new shared susceptibility loci. *Hum Mol Genet* 2013; 22: 4021-9.
70. Rúa-Figueroa I, López-Longo FJ, Calvo-Alén J, Galindo-Izquierdo M, Loza E, García de Yébenes MJ, Pego-Reigosa JM; en representación del Grupo de trabajo en Enfermedades Autoinmunes Sistémicas de la Sociedad Española de Reumatología (EAS-SER); de la Unidad de Investigación de la Sociedad Española de Reumatología (UI-SER). National registry of patients with systemic lupus erythematosus of the Spanish Society of Rheumatology: objectives and methodology. *Reumatol Clin* 2013; 10: 17-24.
71. Calvo-Alén J, Silva-Fernández L, Ucar-Angulo E, Pego-Reigosa JM, Olivé A, Martínez-Fernández C, Martínez-Taboada V, Luis Marenco J, Loza E, López-Longo J, Gómez-Reino JJ, Galindo-Izquierdo M, Fernández-Nebro A, Cuadrado MJ, Aguirre-Zamorano MA, Zea-Mendoza A, Rúa-Figueroa I. SER Consensus statement on the use of biologic therapy for systemic lupus erythematosus. *Reumatol Clin* 2013; 9: 281-296.
72. Leon L, Abasolo L, Carmona L, Rodríguez-Rodríguez L, Lamas JR, Hernandez-Garcia C, Jover JA; emAR Study Group: Alegre J, Alonso J, Alvarez M, Álvarez B, Aragón A, Arasa F, Arias M, Beltrán J, Babío J, Bohorquez C, Boquet D, Bustabad S, Casado A, Calvet J, Castro S, Colazo M, Collantes E, Cuende E, Chozas N, Delgado E, de la Fuente D, de Juanes A, Del Rincón E, Enríquez E, Escudero C, Espadaler L, Espino P, Fernández A, Fernández J, Fernández L, Fiter J, Font P, Galvez J, Gallego A, García J, García J, García M, Gamero F, Giménez E, Gómez S, González Álvarez B, González S, Granados M, Iglesias G, Irigoyen V, Jimenez F, Júdez E, López C, López M, López R, López-Longo

FJ, Maese J, Manero-Ruiz F, Manrique S, Maries I, Martínez C, Martínez-Cristóbal A, Mateo I, Marzo J, Medina F, Medina J, Medrano M, Mesa P, Miguélez R, Monteagudo I, Montilla C, Moreno I, Muñoz M, Naranjo A, Negueroles R, Nolla M, Ojeda S, Ordás C, Ordóñez S, Ortiz A, Pagán E, Pecondón A, Esteban S, Pérez-Pampín E, Pina J, Piqueras J, Pozuelo M, Rios V, Rivera N, Rodríguez C, Rodríguez J, Roselló R, Rubira M, Ruiz D, Saiz E, Sánchez M, Tinturé T, Tornero C, Tornero J, Ucar E, Ureña I, Vázquez C, Veroz R, Vicente E, Zubieta J. Orthopedic surgery in rheumatoid arthritis in the era of biologic therapy. *J Rheumatol* 2013; 40: 1850-5.

73. Janta I, Naredo E, Martínez-Estupiñán L, Nieto JC, De la Torre I, Valor L, Estopiñán L, Bello N, Hinojosa M, González CM, López-Longo J, Monteagudo I, Montoro M, Carreño L. Patient self-assessment and physician's assessment of rheumatoid arthritis activity: which is more realistic in remission status? A comparison with ultrasonography. *Rheumatology (Oxford)* 2013; 52: 2243-50.

74. Fernández-Bello I, López-Longo FJ, Arias-Salgado EG, Jiménez-Yuste V, Butta NV. Rotational thromboelastometry (ROTEM) in Behçet's disease. *Clin Rheumatol* 2013; 32: 1691.

75. López-Mejías R, Genre F, García-Bermúdez M, Castañeda S, González-Juanatey C, Llorca J, Corrales A, Miranda-Fillooy JA, Rueda-Gotor J, Gómez-Vaquero C, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Balsa A, Pascual-Salcedo D, López-Longo FJ, Carreira P, Blanco R, González-Álvaro I, Martín J, González-Gay MA. The 11q23.3 genomic region-rs964184-is associated with cardiovascular disease in patients with rheumatoid arthritis. *Tissue Antigens* 2013; 82: 344-7.

76. García-Bermúdez M, López-Mejías R, Genre F, Castañeda S, González-Juanatey C, Llorca J, Corrales A, Miranda-Fillooy JA, Rueda-Gotor J, Gómez-Vaquero C, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Pascual-Salcedo D, Balsa A, López-Longo FJ, Carreira P, Blanco R, González-Álvaro I, Martín J, González-Gay MA. SMAD3 rs17228212 Gene Polymorphism Is Associated with Reduced Risk to Cerebrovascular Accidents and Subclinical Atherosclerosis in Anti-CCP Negative Spanish Rheumatoid Arthritis Patients. *PLoS One* 2013; 8(10): e77695.

77. García-Bermúdez M, López-Mejías R, Genre F, Castañeda S, González-Juanatey C, Llorca J, Corrales A, Miranda-Fillooy JA, Pina T, Gómez-Vaquero C, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Pascual-Salcedo D, Balsa A, López-Longo FJ, Carreira P, Blanco R, González-Álvaro I, Martín J, González-Gay MA. Single-nucleotide polymorphisms at the 9p21.3 genomic region not associated with the risk of cardiovascular disease in patients with rheumatoid arthritis. *Tissue Antigens*. 2013 Dec;82(6):405-9. doi: 10.1111/tan.12227. PMID: 24498997

78. Díaz-Gallo LM, Simeon CP, Broen JC, Ortego-Centeno N, Beretta L, Vonk MC, Carreira P, Vargas S, , Román-Ivorra J, González-Gay MA, Tolosa C, López-Longo FJ, Espinosa G, Vicente EF, Hesselstrand R, Riemekasten G, Witte T, Distler JH, Voskuyl AE, Schuerwegh AJ, Shiels PG, Nordin A, Padyukov L, Hoffmann-Vold AM, Scorza R, Lunardi C, Airo P, van Laar J, Hunzelmann N, Gathof BS, Kreuter A, Herrick A, Worthington J, Denton C, Zhou X, Arnett FC, Fonseca C, Koeleman BP, Assassi S, Radstake TR, Mayes MD, Martin J; the Spanish Scleroderma Group. Implication of IL-2/IL-21 region in systemic sclerosis genetic susceptibility. *Ann Rheum Dis* 2013; 72: 1233-1238.

79. Carmona FD, Martin JE, Beretta L, Simeón CP, Carreira PE, Callejas JL, Fernández-Castro M, Sáez-Comet L, Beltrán E, Camps MT, Egurbide MV; Spanish Scleroderma Group: Ortego-Centeno N, Ríos R, Navarrete N, Portales RG, Fernández-Nebro A, González-Escribano MF, Sánchez-Román J, García-Hernández FJ, Castillo MJ, Aguirre MÁ, Gómez-Gracia I, Fernández-Gutiérrez B, Rodríguez-Rodríguez L, Vicente E, Andreu JL, de la Peña PG, **López-Longo FJ**, Martínez L, Fonollosa V, Espinosa G, Castellví I, Tolosa C, Pros A, Carballeira MR, Narváez FJ, González-Gay MÁ, Díaz B, Trapiella L, Gallego M, Freire Mdel C, Vaqueiro I, Díaz F, Hernández V, Román-Ivorra JA, García FJ, Oreiro N, Airó P, Scorza R, Lunardi C, Hunzelmann N, Riemekasten G, Witte T, Kreuter A, Distler JH, Madhok R, Shiels P, van Laar JM, Fonseca C, Denton C, Herrick A, Worthington J, Schuerwegh AJ, Vonk MC, Voskuyl AE, Radstake TR, Martín J. The systemic lupus erythematosus IRF5 risk haplotype is associated with systemic sclerosis. *PLoS One* 2013; 8: e54419.

80. Teruel M, Simeon CP, Broen J, Carreira P, García de la Peña P, Aguirre MÁ, Beretta L, Witte T, Kreuter A, Vonk MC, Voskuyl AE, Schuerwegh AJ, Radstake TR, Martin J; Spanish Scleroderma Group: Ortego-Centeno N, Callejas JL, Navarrete N, Garcia A, Fernandez-Nebro A, Garda-Portales R, Gonzalez-Escribano MF, Sanchez-Roman J, Castillo MJ, Gomez-Gracia I, Fernandez-Gutierrez

B, Rodriguez-Rodriguez L, Vicente E, Castro MF, Andreu JL, **Lopez-Longo** FJ, Martínez-Estupiñán L, Pros A, Fonollosa V, Espinosa G, Tolosa C, Carballeira MR, Castellví I, Narvaez FJ, Blanco-García FJ, Oreiro N, Robles MA, Coruila A, Egurbide MV, Saez-Comet L, Gonzalez-Gay MA, Blanco R, Díaz B, Trapiella L, Gallego M, Díaz F, Hernandez V, Delgado-Frías E, Beltran E, Roman-Ivorra JA. The role of the NLRP1 gene in systemic sclerosis: a replication study. *Clin Exp Rheumatol* 2013; 31 (2 Suppl 76): 187-8.

81. Carmona FD, Cénit MC, Diaz-Gallo LM, Broen JC, Simeón CP, Carreira PE, Callejas-Rubio JL, Fonollosa V, **López-Longo** FJ, González-Gay MA, Hunzelmann N, Riemekasten G, Witte T, Kreuter A, Distler JH, Madhok R, Shiels P, van Laar JM, Schuerwegh AJ, Vonk MC, Voskuyl AE, Fonseca C, Denton CP, Herrick A, Worthington J, Arnett FC, Tan FK, Assassi S, Radstake TR, Mayes MD, Martín J; Spanish Scleroderma Group. New insight on the Xq28 association with systemic sclerosis. *Ann Rheum Dis* 2013; 72: 2032-8.

82. Gomez-Reino JJ, Maneiro JR, Ruiz J, Roselló R, Sanmarti R, Romero AB; MIRAR Study Group: García A, Povedano J, Cejas P, Navarro F, Ariza JA, Ricca S, Bursón JS, Mediano WH, Ubeda MA, Blanca PS, Raya E, Garrido PM, Rueda A, Romero M, Fernández A, Belmonte Á, García R, Ruiz A, Venegas JJ, Salberii J, Menor R, Grandal Y, Paez-Camin M, del Mar Ruiz M, Mendoza D, Riesco M, Fernández C, Delgado C, Roselló R, Pina, Fabregas D, Alonso JC, García FJ, López MA, Silva RQ, Noriega JL, Arboleya L, Tinturé T, Poch LE, Areste JF, Vilamajó IR, Mai AJ, Font T, Alemany MP, Arana AU, Bustabad S, Ferraz I, Cantabrana A, Batista D, Hdez JA, Quevedo JC, Rúa-Figueroa Í, Calvo J, Arrecocoechea E, Jimeno T, Sanmarti R, Hernández M, Moragues C, Möller I, Batina NM, Torné D, Segarra VT, Acosta A, Bonet M, Kanterewicz E, Rodriguez J, Figuls R, Padró ML, Gómez A, García JV, Sirvent E, Sanz DR, Ruiz JM, Ros S, del Blanco J, Maymó J, Lisbona M, Pérez C, Almirall M, Perez NA, Sánchez S, Olivé A, Garcia E, Salvador G, Riera E, Marsal, Rotés MI, Moreno E, Claveguera T, Valls R, Sala M, Valls M, Roselló L, Palau SO, Paredes S, Pujol J, Morlà R, Garrofi RF, Elias MJ, Arasa X, Querol AL, Elias MJ, Judez E, Garcia G, Virginia P, Vázquez J, Muñoz P, Álvarez JS, Aparicio AM, Sanz AH, Rey Rey J, Corteguera M, Martínez MM, Pantoja L, Montilla, Ruiz P, Santos JM, Vega JL, Salazar JM, Chamizo E, Aznar JJ, Garrido N, Escarcena AC, Conejo AF, González RV, Toron JG, Abad MÁ, Andrés MT, Freire M, Graña J, López MR, Hernández MÁ, Rodríguez JB, Garel JJ, Fernández MR, Domínguez LF, Domínguez AW, Martinez JC, Ouviaña R, Hernández I, Barbazán C, Cabezas JÁ, Estevez JG, Mateo, Joven B, Galindo M, Morillas L, Dapica PF, Hombrados LG, Herrera P, García J, Alcalde M, Naredo E, Paz C, Carreño L, Salvat M, Monteagudo I, Crespo M, Gonzalez CM, **López Longo FJ**, Rabaneda EV, Coledaro E, Atrio S, Cobo T, Steiner M, de Abreu P, Illera O, Sánchez RM, Espartero MC, García VV, Valle MM, Jaefer JU, Zarco P, Prada, Mulero, González ML, Aragón Á, Escalera CR, Villalba FG, Ramos MM, Morales JM, Tornero C, Cuenca ES, Marras C, Lozano N, Aznar E, Sofía R, Cortina EL, Fito C, del Val N, Ibañez R, Gutierrez R, Vesga JC, Ruiz AA, Albizuri JM, García M, Galinder E, Ucar E, Gorordo M, Pacho A, Torre I, García F, Fernandez O, Torre F, Diez AR, Belzunegui J, Vela P, Jovaní, Fernández C, Belmonte M, González JA, Blasco FN, Beltran JT, Noguera JR, Mínguez M, Pérez F, Muñoz P, Martínez, Alcañiz Pérez AG, Castellano JA, Pérez A, González -Cruz I. Comparative effectiveness of switching to alternative tumour necrosis factor (TNF) antagonists versus switching to rituximab in patients with rheumatoid arthritis who failed previous TNF antagonists: the MIRAR Study. *Ann Rheum Dis* 2012; 71: 1861-4.

83. Martin JE, Carmona FD, Broen JC, Simeón CP, Vonk MC, Carreira P, Ríos-Fernández R, Espinosa G, Vicente-Rabaneda E, Tolosa C, García-Hernández FJ, Castellví I, Fonollosa V, González-Gay MA, Sáez-Comet L, Portales RG, de la Peña PG, Fernández-Castro M, Díaz B, Martínez-Estupiñán L, Coenen M, Voskuyl AE, Schuerwegh AJ, Vanthuyne M, Houssiau F, Smith V, de Keyser F, De Langhe E, Riemekasten G, Witte T, Hunzelmann N, Kreuter A, Palm Ø, Chee MM, van Laar JM, Denton C, Herrick A, Worthington J, Koeleman BP, Radstake TR, Fonseca C, Martín J; Spanish Scleroderma Group: Camps M, Fernández-Nebro A, Román-Ivorra J, Beltran E, Rodríguez-Rodriguez L, Castillo MJ, Sánchez-Román J, Trapiella L, Gallego M, Aguirre MÁ, Callejas-Rubio JL, Ríos R, Egurbide MV, Pros A, Navarrete N, Díaz-González F, Andreu JL, López-Longo FJ, Marañón G, Rodríguez-Carballeira M. The autoimmune disease-associated IL2RA locus is involved in the clinical manifestations of systemic sclerosis. *Genes Immun* 2012; 13: 191-6.

84. Bossini-Castillo L, Martin JE, Broen J, Gorlova O, Simeón CP, Beretta L, Vonk MC, Callejas JL, Castellví I, Carreira P, García-Hernández FJ, Fernández Castro M; Spanish Scleroderma Group: Camps M, Fernández-Nebro A, Román-Ivorra J, Beltran E, Rodríguez-Rodriguez L, Castillo MJ, Sánchez-

Román J, Trapiella L, Gallego M, Aguirre MÁ, Callejas-Rubio JL, Ríos R, Egurbide MV, Pros A, Navarrete N, Díaz-González F, Andreu JL, López-Longo FJ, Marañón G, Rodríguez-Carballeira M; Coenen MJ, Riemekasten G, Witte T, Hunzelmann N, Kreuter A, Distler JH, Koeleman BP, Voskuyl AE, Schuerwegh AJ, Palm Ø, Hesselstrand R, Nordin A, Airó P, Lunardi C, Scorza R, Shiels P, van Laar JM, Herrick A, Worthington J, Denton C, Tan FK, Arnett FC, Agarwal SK, Assassi S, Fonseca C, Mayes MD, Radstake TR, Martin J. A GWAS follow-up study reveals the association of the IL12RB2 gene with systemic sclerosis in Caucasian populations. *Hum Mol Genet* 2012; 21: 926-33.

85. Fernández Bello I, Álvarez MT, López-Longo FJ, Arias-Salgado EG, Martín M, Jiménez-Yuste V, Rodríguez de la Rúa A, Butta NV. Platelet soluble CD40L and matrix metalloproteinase 9 activity are proinflammatory mediators in Behçet disease patients. *Thromb Haemost* 2012; 107: 88-98.

86. Martin JE, Broen JC, Carmona FD, Teruel M, Simeon CP, Vonk MC, van 't Slot R, Rodriguez-Rodriguez L, Vicente E, Fonollosa V, Ortego-Centeno N, González-Gay MA, García-Hernández FJ, de la Peña PG, Carreira P; Spanish Scleroderma Group, Voskuyl AE, Schuerwegh AJ, van Riel PL, Kreuter A, Witte T, Riemekasten G, Airo P, Scorza R, Lunardi C, Hunzelmann N, Distler JH, Beretta L, van Laar J, Chee MM, Worthington J, Herrick A, Denton C, Tan FK, Arnett FC, Assassi S, Fonseca C, Mayes MD, Radstake TR, Koeleman BP, Martin J and collaborators, Portales RG, Camps M, Fernández-Nebro A, Román-Ivorra J, Beltran E, Castillo MJ, Sánchez-Román J, Vicente E, Díaz B, Trapiella L, Gallego M, Aguirre MÁ, Callejas-Rubio JL, Ríos R, Castellvi I, Egurbide MV, Espinosa G, Pros A, Navarrete N, Díaz-González F, Hernández V, Andréu JL, Fernández-Castro M, Comet LS, López-Longo FJ, Martínez-Estupiñan L, Rodríguez-Carballeira M, Narváez FJ, Freire Mdel C, Vaqueiro I. Identification of CSK as a systemic sclerosis genetic risk factor through Genome Wide Association Study follow-up. *Hum Mol Genet* 2012; 21: 2825-2835.

87. Casals-Sánchez JL, García De Yébenes Prous MJ, Descalzo Gallego MÁ, Barrio Olmos JM, Carmona Ortells L, Hernández García C, and the Grupo de Estudio emAR II: Escudero C, Chozas N, Maries I, Fernandez A, Medina F, Guzmán M, Ureña I, Irigoyen V, Lopez M, Espiño P, Manrique S, Collantes E, Font P, Ruiz D, Granados M, Pozuelo MJ, Moreno I, Garcia López A, Pina JM, Roselló R, Vázquez C, Beltrán J, Pecondón A, Giménez E, Jimenez F, Marzo J, Medrano M, Babío J, Tinturé T, González S, Ordás C, García ME, Ballina J, Alonso S, Espadaler L, Fernandez J, Fiter J, Bustabad S, Rodríguez C, Naranjo A, Ojeda S, Tornero J, Piqueras JA, Júdez E, Sánchez G, Pantoja L, López C, Medina J, Iglesias G, Alvarez M, Alegre J, Colazo MR, Alonso JL, Álvarez B, Pérez Sandoval T, Del Pino J, Montilla C, Gómez S, López R, Sánchez M, Arasa FX, Castro S, Ordóñez S, Boquet D, Calvet J, de la Fuente D, Rios V, Nolla M, Martínez A, Belmonte Serrano MA, Negueroles R, García J, Gamero F, del Rincón E, Veroz R, Pérez-Pampín E, Fernandez L, Miguélez R, Godó J, Vicente E, Tomero E, Casado A, Aria MJ, Cuende E, Bohorquez C, Rodríguez JM, Aragón A, García J, Zubieta J, Martínez C, Mateo I, de Juanes A, Enríquez E, López-Longo FJ, Maese J, Pagán E, Rubira MJ, Mesa P, Rivera N, Rodríguez C, González Álvarez B, Zea A, Diaz-Miguel C, Cifuentes A. Characteristics of patients with spondyloarthritis followed in rheumatology units in Spain. *emAR II study. Reumatol Clin* 2012; 8: 107-13.

88. Jovani V, Loza E, García de Yébenes MJ, Descalzo MÁ, Barrio JM, Carmona L, Hernández-García C, and the Grupo de estudio emAR: Escudero C, Chozas N, Maries I, Fernandez A, Medina F, Ureña I, Irigoyen V, Lopez M, Espiño P, Manrique S, Collantes E, Font P, Ruiz D, Granados M, Pozuelo MJ, Moreno I, Pina JM, Roselló R, Vázquez C, Beltrán J, Manero-Ruiz FJ, Pecondón A, Giménez E, Jimenez F, Marzo J, Medrano M, Babío J, Tinturé T, González S, Ordás C, García ME, Espadaler L, Fernandez J, Fiter J, Naranjo A, Ojeda S, Tornero J, Piqueras JA, Júdez E, López C, Medina J, Iglesias G, Alvarez M, Alegre J, Colazo MR, Alonso JL, Álvarez B, Montilla C, Gómez S, López R, Sánchez M, Castro S, Ordóñez S, Boquet D, Calvet J, de la Fuente D, Rios V, Nolla M, Martínez-Cristóbal A, Negueroles R, Muñoz ML, García J, Gamero F, del Rincón E, Pérez-Pampín E, Fernandez L, Miguélez R, Vicente E, Esteban S, Tomero E, Casado A, Arias MJ, Cuende E, Bohorquez C, Rodríguez JM, Aragón A, García J, Zubieta J, Gallego A, Martínez C, Mateo I, de Juanes A, Enríquez E, Monteagudo I, López-Longo FJ, Pagán E, Rubira MJ, Mesa P, Galvez J, Saiz E, Tornero C, Úcar E, Rodríguez C, Álvarez B, Rivera N, Arasa FX, Bustabad S, Delgado E, Maese J, Veroz R. Variability in resource consumption in patients with spondyloarthritis in Spain. Preliminary descriptive data from the emAR II study. *Reumatol Clin* 2012; 8: 114-9.

89. Carmona FD, Serrano A, Rodríguez-Rodríguez L, Callejas JL, Simeón CP, Carreira P, Castañeda S, Solans R, Blanco R; The Spanish Scleroderma Group: Ortego-Centeno N, Ríos R, Navarrete

N, Portales RG, Camps MT, Fernández-Nebro A, González-Escribano MF, Sánchez-Román J, García-Hernández FJ, Castillo MJ, Aguirre MÁ, Gómez-Gracia I, Fernández-Gutiérrez B, Vicente E, Andreu JL, de Castro MF, de la Peña PG, López-Longo FJ, Martínez L, Fonollosa V, Espinosa G, Castellví I, Tolosa C, Pros A, Carballeira MR, Narváez FJ, Díaz B, Trapiella L, Gallego M, Del Carmen Freire M, Vaqueiro I, Egurbide MV, Sáez-Comet L, Díaz F, Hernández V, Beltrán E, Román-Ivorra JA, García FJ, Robles MÁ, Oreiro N, Miranda-Fillooy JA, Morado IC, Narváez J, Gómez-Vaquero C, Sopeña B, Unzueta A, Marí-Alfonso B, de Miguel E, Hidalgo-Conde A, Sánchez J, García MJ; The Spanish Giant Cell Arteritis Group, González-Gay MA, Martín J. Evaluation of a Shared Autoimmune Disease-associated Polymorphism of TRAF6 in Systemic Sclerosis and Giant Cell Arteritis. *J Rheumatol* 2012; 39: 1275-1279.

90. Fernandez-Nebro A, Marenco-de la Fuente JL, Carreño L, Galindo-Izquierdo M, Tomero E, Rúa-Figueroa I, Hernández-Cruz BE, Narváez J, Ucar E, Olivé A, Zea A, Fernández-Castro M, Raya-Álvarez E, Pego-Reigosa JM, Freire M, Martínez-Taboada VM, Pérez-Venegas J, Sánchez-Atrio AI, Villa-Blanco I, Manrique-Arija S, López-Longo FJ, Carreira PE, Martínez-Pérez R, García-Vicuña R. Multicenter longitudinal study of B-lymphocyte depletion in refractory systemic lupus erythematosus: the LESIMAB study. *Lupus* 2012; 21: 1063-1076.

91. Maese J, García de Yébenes MJ, Carmona L, Hernández-García C, and the Grupo de estudio emAR: Alegre J, Alonso JL, Alvarez M, Álvarez B, Aragón A, Arasa FX, Arias MJ, Beltrán J, Babío J, Bohorquez C, Boquet D, Bustabad S, Casado A, Calvet J, Castro S, Colazo MR, Collantes E, Cuende E, Chozas N, Delgado E, de la Fuente D, de Juanes A, del Rincón E, Enríquez E, Escudero C, Espadaler L, Espino P, Fernández A, Fernández J, Fernández L, Fiter J, Font P, Galvez J, Gallego A, García J, García J, García ME, Gamero F, Giménez E, Gómez S, González Álvarez B, González S, Granados M, Iglesias G, Irigoyen V, Jimenez F, Júdez E, López C, López M, López R, López-Longo FJ, Maese J, Manero-Ruiz FJ, Manrique S, Maries I, Martínez C, Martínez- Cristóbal A, Mateo I, Marzo J, Medina F, Medina J, Medrano M, Mesa P, Miguélez R, Monteagudo I, Montilla C, Moreno I, Muñoz ML, Naranjo A, Negueroles R, Nolla M, Ojeda S, Ordás C, Ordóñez S, Ortiz AM, Pagán E, Pecondón A, Esteban S, Pérez-Pampín E, Pina JM, Piqueras JA, Pozuelo MJ, Rios V, Rivera N, Rodríguez C, Rodríguez JM, Roselló R, Rubira MJ, Ruiz D, Saiz E, Sánchez M, Tinturé T, Tornero C, Tornero J, Ucar E, Ureña I, Vázquez C, Veroz R, Vicente E, Zubietta J. Estudio sobre el manejo de la artritis reumatoide en España (emAR II). Características clínicas de los pacientes. *Reumatol Clin* 2012; 8: 236-242.

92. Teruel M, Simeon CP, Broen J, Vonk MC, Carreira P, Camps MT, García-Portales R, Delgado-Frías E, Gallego M, Espinosa G; Spanish Scleroderma Group: Ortego-Centeno N, Callejas JL, Ríos R, Navarrete N, García A, Fernández-Nebro A, González-Escribano MF, Sánchez-Román J, Castillo MJ, Aguirre MÁ, Gómez-Gracia I, Fernández-Gutiérrez B, Rodríguez-Rodríguez L, Vicente E, Castro MF, Andreu JL, de la Peña PG, López-Longo FJ, Martínez-Estupiñán L, Pros A, Del Mar, Fonollosa V, Tolosa C, Carballeira MR, Castellví I, Narváez FJ, Blanco-García FJ, Oreiro N, Robles MÁ, Egurbide MV, Sáez- Comet L, Blanco R, Díaz B, Trapiella L, Díaz F, Hernández V, Beltrán E, Román-Ivorra JA; Beretta L, Airó P, Lunardi C, Riemekasten G, Witte T, Krieg T, Kreuter A, Distler JH, Hunzelmann N, Koeleman BP, Voskuyl AE, Schuerwegh AJ, González-Gay MA, Radstake TR, Martin J. Analysis of the association between CD40 and CD40 ligand polymorphisms and systemic sclerosis. *Arthritis Res Ther* 2012; 14: R154.

93. Cénit MC, Simeón CP, Fonollosa V, Espinosa G, Beltrán E, Sáez-Comet L, Vicente-Rabaneda E, García-Hernández FJ, Martínez-Estupiñán L, Rodríguez-Carballeira M, Hernández V, de la Peña PG, Fernández-Castro M, Narváez FJ, Pros A, Gallego M, Ríos-Fernández R, Camps MT, Fernández-Nebro A, Egurbide MV, Carreira P, González-Gay MA, Martín J; Spanish Scleroderma Group: Trapiella L, González-Escribano MF, Tolosa C, Díaz-González F, Andreu JL, Callejas-Rubio JL, Román-Ivorra J, Sánchez-Román J, Castillo MJ, Castellví I, López-Longo FJ, Rodríguez-Rodríguez L, Fernández-Gutiérrez B, Aguirre MÁ, Gómez-Gracia I, Freire MC, Vaqueiro I, Navarrete N, Portales RG. No evidence of association between functional polymorphisms located within IL6R and IL6ST genes and systemic sclerosis. *Tissue Antigens* 2012; 80: 254-8.

94. Cénit MC, Simeón CP, Vonk MC, Callejas-Rubio JL, Espinosa G, Carreira P, Blanco FJ, Narvaez J, Tolosa C, Román-Ivorra JA, Gómez-García I, García-Hernández FJ, Gallego M, García-Portales R, Egurbide MV, Fonollosa V, García de la Peña P, López-Longo FJ, González-Gay MA, The Spanish Scleroderma Group, Hesselstrand R, Riemekasten G, Witte T, Voskuyl AE, Schuerwegh AJ, Madhok R,

Fonseca C, Denton C, Nordin A, Palm Ö, van Laar JM, Hunzelmann N, Distler JHW, Kreuter A, Herrick A, Worthington J, Koeleman BP, Radstake TRGJ, Martín J. Influence of the IL6 gene in susceptibility to systemic sclerosis. *J Rheumatol* 2012; 39: 2294-2302.

95. Ortea I, Roschitzki B, Gabriel Ovalles J, López-Longo FJ, De la Torre I, González I, Gómez-Reino JJ, González A. Discovery of serum proteomic biomarkers for prediction of response to infliximab (a monoclonal anti-TNF antibody) treatment in rheumatoid arthritis: An exploratory analysis. *J Prot* 2012; 372-382.

96. Naredo E, Valor L, De la Torre I, Martínez-Barrio J, Hinojosa M, Aramburu F, Ovalles-Bonilla JG, Hernández D, Montoro M, González CM, López-Longo FJ, Monteagudo I, Carreño L. Ultrasound joint inflammation in rheumatoid arthritis in clinical remission: How many and which joints should be assessed? *Arthritis Care Res (Hoboken)* 2012; 65: 512-517.

97. Bossini-Castillo L, Simeon CP, Beretta L, Broen JC, Vonk MC, Ríos-Fernández R, Espinosa G, Carreira P, Camps MT, Castillo MJ, González-Gay MA, Beltrán E, Carmen Freire Md, Narváez J, Tolosa C, Witte T, Kreuter A, Schuerwegh AJ, Hoffmann-Vold AM, Hesselstrand R, Lunardi C, van Laar JM, Chee MM, Herrick A, Koeleman BP, Denton CP, Fonseca C, Radstake TR, Martin J; Spanish Scleroderma Group: Ortego-Centeno N, Callejas JL, Navarrete N, Portales RG, Fernández-Nebro A, González-Escribano MF, Sánchez-Román J, García-Hernández FJ, del Rocio V, Aguirre MÁ, Gómez-Gracia I, Fernández-Gutiérrez B, Rodríguez-Rodríguez L, Andreu JL, de Castro MF, de la Peña PG, López-Longo FJ, Martínez L, Fonollosa V, Castellví I, Pros A, Carballeira MR, Díaz B, Trapiella L, Gallego M, Vaqueiro I, Egurbide MV, Sáez-Comet L, Díaz F, Hernández V, Román-Ivorra JA. A multicenter study confirms CD226 gene association with systemic sclerosis-related pulmonary fibrosis. *Arthritis Res Ther* 2012; 14: R85.

98. Julià A, Tortosa R, Hernanz JM, Cañete JD, Fonseca E, Ferrándiz C, Unamuno P, Puig L, Fernández-Sueiro JL, Sanmartí R, Rodríguez J, Gratacós J, Dauden E, Sánchez-Carazo JL, López-Esteban JL, Moreno-Ramírez D, Queiró R, Montilla C, Torre-Alonso JC, Pérez-Venegas JJ, Vanaclocha F, Herrera E, Muñoz-Fernández S, González C, Roig D, Erra A, Acosta I, Fernández-Nebro A, Zarco P, Alonso A, López-Lasanta M, García-Montero A, Gelpí JL, Absher D, Marsal S. Risk variants for psoriasis vulgaris in a large case-control collection and association with clinical subphenotypes. *Hum Mol Genet.* 2012;21(20):4549-57

99. Julià A, Tortosa R, Hernanz JM, Cañete JD, Fonseca E, Ferrándiz C, Unamuno P, Puig L, Fernández-Sueiro JL, Sanmartí R, Rodríguez J, Gratacós J, Dauden E, Sánchez-Carazo JL, López-Esteban JL, Moreno-Ramírez D, Queiró R, Montilla C, Torre-Alonso JC, Pérez-Venegas JJ, Vanaclocha F, Herrera E, Muñoz-Fernández S, **González C**, Roig D, Erra A, Acosta I, Fernández-Nebro A, Zarco P, Alonso A, López-Lasanta M, García-Montero A, Gelpí JL, Absher D, Marsal S. Risk variants for psoriasis vulgaris in a large case-control collection and association with clinical subphenotypes. *Hum Mol Genet.* 2012;21(20):4549-57.

100. Carmona L, Abasolo L, Descalzo MA, Pérez-Zafrilla B, Sellas A, de Abajo F, Gómez-Reino JJ, BIOBADASER Study Group and EMECAR Study Group. Sellas A, Rodríguez B, Barceló M, Cebrián L, Montoro M, Montesinos D, Pérez-Pampín E, Ortiz AM, Tomero E, Antón F, Zea A, Manero Ruiz FJ, Beltrán C, Gimenez Úbeda E, Jimenez Zorzo F, Marzo J, Medrano M, Pecondón Á, Hernández MV, Sanmartí R, Cañete JD, Rodríguez Lozano C, Naranjo A, Ojeda S, Francisco Hernández F, Erausquin C, Rúa Í, Ureña I, Irigoyen MV, Cano L, Pardo RR, Galeano CV, de Juanes A, Joven B, García J, Calvo J, Campos C, Borrás JJ, Negueroles R, Muñoz L, Valero JL, Ybañez D, Abasolo AL, de Alegre MC, Andreu Sánchez JL, Aragón Díez A, Balsa Criado A, Batlle Gualda E, Belmonte Serrano MA, Beltrán Audera J, Beltrán Fabregat J, Bonilla Hernan G, Carmona Ortells L, Caro Fernández N, Casado E, Cebrian Mendez L, Corteguera Coro M, Cuadra Díaz JL, Cuesta E, Fiter Aresté J, Freire Gonzalez M, Galindo Izquierdo M, García Meijide JA, García Gómez MC, Giménez Ubeda E, Gómez Centeno E, Gómez Vaquero C, González Fernández MJ, González Gómez ML, González Hernández T, González-Alvaro I, González-Montagut Gómez C, Grandal Delgado Y, Gratacos Masmitja J, Hernández del Río A, Instxaurbe AR, Irigoyen Oyarzabal MV, Jiménez Palop M, Juan Mas A, Judez Navarro E, Larrosa Padro M, López Longo FJ, Loza Santamaria E, Maese Manzano J, Manero Ruiz FJ, Mateo Bernardo I, Mayordomo González L, Mazzucheli R, Medrano San Idelfonso M, Naranjo Hernández A, Pecondón Español A, Peiró Callizo E, Quirós Donate J, Ramos López P, Rivera Redondo J, Rodríguez Gómez M, Rodríguez López M, Roselló Pardo R. Cancer in

patients with rheumatic diseases exposed to TNF antagonists. *Semin Arthritis Rheum* 2011; 41: 71-80.

101. Gorlova O, Martin JE, Rueda B, Koeleman BP, Ying J, Teruel M, Diaz-Gallo LM, Broen JC, Vonk MC, Simeon CP, Alizadeh BZ, Coenen MJ, Voskuyl AE, Schuerwegh AJ, van Riel PL, Vanthuyne M, van 't Slot R, Italiaander A, Ophoff RA, Hunzelmann N, Fonollosa V, Ortego-Centeno N, González-Gay MA, García-Hernández FJ, González-Escribano MF, Airo P, van Laar J, Worthington J, Hesselstrand R, Smith V, de Keyser F, Houssiau F, Chee MM, Madhok R, Shiels PG, Westhovens R, Kreuter A, de Baere E, Witte T, Padyukov L, Nordin A, Scorza R, Lunardi C, Lie BA, Hoffmann-Vold AM, Palm O, García de la Peña P, Carreira P; Spanish Scleroderma Group: Portales RG, Camps M, Fernández-Nebro A, Román-Ivorra J, Beltrán E, Rodríguez-Rodríguez L, Castillo MJ, Sánchez-Román J, Vicente E, Díaz B, Trapiella L, Gallego M, Aguirre MA, Callejas-Rubio JL, Ríos R, Castellví I, Egurbide MV, Espinosa G, Pros A, Navarrete N, Díaz-González F, Andréu JL, Fernández-Castro M, Comet LS, López-Longo FJ; Varga J, Hinchcliff M, Lee AT, Gourh P, Amos CI, Wigley FM, Nelson JL, Riemekasten G, Herrick A, Beretta L, Fonseca C, Denton CP, Gregersen PK, Agarwal S, Assassi S, Tan FK, Arnett FC, Radstake TR, Mayes MD, Martin J. Identification of novel genetic markers associated with clinical phenotypes of systemic sclerosis through a genome-wide association strategy. *PLoS Genet* 2011; 7 (7): e1002178.

102. Sánchez-Ramón S, López-Longo FJ, Carreño L. [Interleukins network in rheumatoid arthritis pathophysiology: beyond proinflammatory cytokines]. *Reumatol Clin* 2011; 63: S20-4.

103. Bossini-Castillo L, Simeon CP, Beretta L, Vonk MC, Callejas-Rubio JL, Espinosa G, Carreira P, Camps MT, Rodríguez-Rodríguez L, Rodríguez-Carballeira M, García-Hernández FJ, López-Longo FJ, Hernández-Hernández V, Sáez-Comet L, Egurbide MV, Hesselstrand R, Nordin A, Hoffmann-Vold AM, Vanthuyne M, Smith V, De Langhe E, Kreuter A, Riemekasten G, Witte T, Hunzelmann N, Voskuyl AE, Schuerwegh AJ, Lunardi C, Airó P, Scorza R, Shiels P, van Laar JM, Fonseca C, Denton C, Herrick A, Worthington J, Koeleman BP, Rueda B, Radstake TR, Martin J; Spanish Scleroderma Group. Confirmation of association of the macrophage migration inhibitory factor gene with systemic sclerosis in a large European population. *Rheumatology (Oxford)* 2011; 50: 1976-81.

104. Carmona FD, Serrano-Lopera A, López-Isac E, Simeón CP, Carreira P, Ríos-Fernandez R, Espinosa G, Camps MT, Navarrete N, González-Escribano MF, Vicente-Rabaneda E, Rodríguez-Rodríguez L, Tolosa C, Beltrán E, Gómez-García I, Fernández-Castro M, López-Longo FJ, García-Hernández FJ, Castellví I, Trapiella L, Fernández-Nebro A, García-Portales R, Egurbide MV, Fonollosa V, García de la Peña P, Pros A, Rodríguez-Carballeira M, Díaz-González F, Sáez-Comet L, González-Gay MA, Martín J. No evidence for association between the CCR5/Delta32CCR5 polymorphism and systemic sclerosis. *Clin Exp Rheumatol* 2011; 29: 895-6.

105. Navarro-Sarabia F, Fernández-Sueiro JL, Torre-Alonso JC, Gratacos J, Queiro R, **Gonzalez C**, Loza E, Linares L, Zarco P, Juanola X, Román-Ivorra J, Martín-Mola E, Sanmartí R, Mulero J, Diaz G, Armendáriz Y, Collantes E. High-dose etanercept in ankylosing spondylitis: results of a 12-week randomized, double blind, controlled multicentre study (LOADET study). *Rheumatology (Oxford)*. 2011;50:1828-37.

106. Navarro-Sarabia F, Fernández-Sueiro JL, Torre-Alonso JC, Gratacos J, Queiro R, Gonzalez C, Loza E, Linares L, Zarco P, Juanola X, Román-Ivorra J, Martín-Mola E, Sanmartí R, Mulero J, Diaz G, Armendáriz Y, Collantes E. High-dose etanercept in ankylosing spondylitis: results of a 12-week randomized, double blind, controlled multicentre study (LOADET study). *Rheumatology (Oxford)*. 2011;50:1828-37.

107. Gómez Reino J, Loza E, Andreu JL, Balsa A, Batlle E, Cañete JD, Collantes Estévez E, Fernández Carballido C, Fernández Sueiro JL, García de Vicuña R, González-Álvaro I, González Fernández C, Juanola X, Linares LF, Marengo JL, Martín Mola E, Moreno Ramos M, Mulero Mendoza J, Muñoz Fernández S, Queiro R, Richi Alberti P, Sanz J, Tornero Molina J, Zarco Montejo P, Carmona L; Sociedad Española de Reumatología. [Consensus statement of the Spanish Society of Rheumatology on risk management of biologic therapy in rheumatic patients]. *Reumatol Clin*. 2011 Sep-Oct;7(5):284-98.

108. Montala N, Juanola X, Collantes E, Muñoz-Gomariz E, Gonzalez C, Gratacos J, Zarco P, Fernandez Sueiro JL, Mulero J, Torre-Alonso JC, Batlle E, Carmona L. Prevalence of vertebral fractures by semiautomated morphometry in patients with ankylosing spondylitis. *J Rheumatol*. 2011;38(5):893-7.

109. M Bernad Pineda, CM González Fernández, M Fernández Prada, J Fernández Campillo, R Maeso Martínez y MV Garcés Puentes. Reumatología y osteoporosis (RETOSS): osteoporosis posmenopáusica en la consulta de reumatología. *Reumatol Clín* 2011;7:13-19.
110. Collantes E, Fernández Sueiro JL, García-Vicuña R, Gratacós J, Mulero J, Muñoz Fernández S, Sanmartí R, Zarco P, Angel Abad M, Batlle E, de Dios Cañete J, González Crespo MR, **González C**, Juanola X, Sanz J, Rivera J. Actualización del Consenso de la Sociedad Española de Reumatología sobre el uso de antagonistas del TNF α en las espondiloartritis, incluida la artritis psoriásica. *Reumatol Clin*. 2007 Jul;3 Supl 2:S61-71.
111. Collantes E, Zarco P, Muñoz E, Juanola X, Mulero J, Fernández-Sueiro JL, Torre-Alonso JC, Gratacós J, **González C**, Batlle E, Fernández P, Linares LF, Brito E, Carmona L. Disease pattern of spondyloarthropathies in Spain: description of the first national registry (REGISPONSER) extended report. *Rheumatology (Oxford)* 2007;46(8):1309-15.
112. **González, CM**. Estudio 3e. *Reumatol Clin*. 2007;3 Supl 2:S43-5
113. Almodóvar R, Zarco P, Collantes E, **González C**, Mulero J, Fernández-Sueiro JL, Gratacós J, Torres-Alonso JC, Juanola X, Batlle E, Ariza R, Muñoz E. Relationship between spinal mobility and disease activity, function, quality of life and radiology. A cross-sectional Spanish registry of spondyloarthropathies (REGISPONSER). *Clin Exp Rheumatol*. 2009 May-Jun;27(3):439-45.
114. Almodóvar R, Carmona L, Zarco P, Collantes E, **González C**, Mulero J, Sueiro JL, Gratacós J, Torre-Alonso JC, Juanola X, Batlle E, Ariza R, Font P. Fibromyalgia in patients with ankylosing spondylitis: prevalence and utility of the measures of activity, function and radiological damage. *Clin Exp Rheumatol*. 2010 Nov-Dec;28(6 Suppl 63):S33-9.
115. M Bernad Pineda, CM González Fernández, M Fernández Prada, J Fernández Campillo, R Maeso Martínez y MV Garcés Puentes. Reumatología y osteoporosis (RETOSS): osteoporosis posmenopáusica en la consulta de reumatología. *Reumatol Clín* 2011;7:13-19.
116. Montala N, Juanola X, Collantes E, Muñoz-Gomariz E, **Gonzalez C**, Gratacos J, Zarco P, Fernandez Sueiro JL, Mulero J, Torre-Alonso JC, Batlle E, Carmona L. Prevalence of vertebral fractures by semiautomated morphometry in patients with ankylosing spondylitis. *J Rheumatol*. 2011;38(5):893-7.
117. Gómez Reino J, Loza E, Andreu JL, Balsa A, Batlle E, Cañete JD, Collantes Estévez E, Fernández Carballido C, Fernández Sueiro JL, García de Vicuña R, González-Álvaro I, **González Fernández C**, Juanola X, Linares LF, Marengo JL, Martín Mola E, Moreno Ramos M, Mulero Mendoza J, Muñoz Fernández S, Queiro R, Richi Alberti P, Sanz J, Tornero Molina J, Zarco Montejó P, Carmona L; Sociedad Española de Reumatología. [Consensus statement of the Spanish Society of Rheumatology on risk management of biologic therapy in rheumatic patients]. *Reumatol Clin*. 2011 Sep-Oct;7(5):284-98.